

**2014: Childhood Retrospective
Circumstances Study File**

Codebook

Number of Variables

127

2014: Childhood Retrospective Circumstances Study File

CS14V1 "RELEASE NUMBER" NUM(1.0)

Release Number

Count	%	Value/Range	Code Value/Range Text
8,072	100.00	1	Release number 1, September 2015

CS14V2 "2013 FAMILY INTERVIEW (ID) NUMBER" NUM(5.0)

2013 PSID Interview Number

To merge the PSID-CRCS data with the 1968-2013 Public Release Individual File, users should merge records where both CS14V2=ER34201 (2013 Family Interview ID Number) and CS14V3=ER34202 (2013 Sequence Number). To merge the PSID-CRCS data with the 1968-2013 Public Release Family File, users should merge records where CS14V2=ER53002 (2013 Family Interview ID Number).

Count	%	Value/Range	Code Value/Range Text
8,072	100.00	1 - 9,107	Interview Number

CS14V3 "SEQUENCE NUMBER 13" NUM(2.0)

2013 PSID Sequence Number

To merge the PSID-CRCS data with the 1968-2013 Public Release Individual File, users should merge records where both CS14V2=ER34201 (2013 Family Interview ID Number) and CS14V3=ER34202 (2013 Sequence Number). To merge the PSID-CRCS data with the 1968-2013 Public Release Family File, users should merge records where CS14V2=ER53002 (2013 Family Interview ID Number).

Count	%	Value/Range	Code Value/Range Text
5,187	64.26	1	Head at 2013 PSID interview
2,885	35.74	2	Wife or "Wife" at 2013 PSID interview

CS14V105 "B30 WTR CHILDHOOD DRUG/AL PROB" NUM(1.0)

B30. Before you were 17 years old, did you have drug or alcohol problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V106 "B30A WTR DRUGS, ALCOHOL, BOTH"

NUM(1.0)

B30a. Was it drugs, alcohol, or both?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
0	.00		1		Drugs
0	.00		2		Alcohol
0	.00		3		Both
0	.00		9		NA; not answered
0	.00		0		Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V107 "B30B AGE DRUG/AL PROB START"

NUM(2.0)

B30b. At what age did you first start having drug or alcohol problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
0	.00	1 - 16			Age 1 to 16
0	.00		99		NA; not answered
0	.00		0		Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V108 "B30C AGE END DRUG/AL PROB BEFORE 17"

NUM(2.0)

B30c. Until what age did you have these drug or alcohol problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
0	.00	1 - 16			Age 1 to 16
0	.00		96		Older than 16
0	.00		97		I still have it
0	.00		99		NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

CS14V109 "B30CB30D AGE END DRUG/AL PROB 17+" NUM(3.0)
 B30cB30d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); drug or alcohol problem ended before age 17 or still has a drug or alcohol problem (CS14V108=1-16 or 97); NA age that drug or alcohol problem ended (CS14V108=99)

CS14V110 "B31 WTR SAW PSYCH FOR DRUG/AL PROB" NUM(1.0)
 B31. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your drug or alcohol problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9)

2014: Childhood Retrospective Circumstances Study File

CS14V111 "B32 AGE 1ST SAW PSYCH FOR DRUG/AL PROB"

NUM(2.0)

B32. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your drug or alcohol problems? If you don't know the exact age, please use your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); did not see a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=5); NA whether saw a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=9)

CS14V112 "B33 AGE LAST SAW PSYCH FOR DRUG/AL PROB"

NUM(2.0)

B33. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your drug or alcohol problems? If you don't know the exact age, please use your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have a drug or alcohol problem before age 17 (CS14V105=5); NA whether had a drug or alcohol problem before age 17 (CS14V105=9); did not see a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=5); NA whether saw a psychiatrist or psychologist for help with drug or alcohol problem (CS14V110=9)

2014: Childhood Retrospective Circumstances Study File

CS14V113 "B34 WTR CHILDHOOD DEPRESSION"

NUM(1.0)

B34. Before you were 17 years old, did you have depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		

CS14V114 "B34B AGE DEPRESSION START"

NUM(2.0)

B34b. At what age did you first start having depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)		

CS14V115 "B34C AGE END DEPRESSION BEFORE 17"

NUM(2.0)

B34c. Until what age did you have depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	96	Older than 16		
0	.00	97	I still have it		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V116 "B34CB34D AGE END DEPRESSION 17+" NUM(3.0)
 B34cB34d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); depression ended before age 16 or still has depression (CS14V115=1-16 or 97); NA age that depression ended (CS14V115=9)

CS14V117 "B35 WTR SAW PSYCH FOR DEPRESSION" NUM(1.0)
 B35. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)

CS14V118 "B36 AGE 1ST SAW PSYCH FOR DEPRESSION" NUM(2.0)
 B36. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); did not see a psychiatrist or psychologist for depression before age 17 (CS14V117=5); NA whether saw a psychiatrist or psychologist for depression before age 17 (CS14V117=9)

CS14V119 "B37 AGE LAST SAW PSYCH FOR DEPRESSION" NUM(2.0)

B37. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your depression? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9); did not see a psychiatrist or psychologist for depression before age 17 (CS14V117=5); NA whether saw a psychiatrist or psychologist for depression before age 17 (CS14V117=9)

CS14V120 "B37A WTR GIVEN MEDS FOR DEPRESSION" NUM(1.0)

B37a. Before age 17 were you prescribed medication for your depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have depression before age 17 (CS14V113=5); NA whether had depression before age 17 (CS14V113=9)

2014: Childhood Retrospective Circumstances Study File

CS14V121 "B38 WTR CHILDHOOD ANXIETY"

NUM(1.0)

B38. Before you were 17 years old, did you have anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	

CS14V122 "B38B AGE ANXIETY START"

NUM(2.0)

B38b. At what age did you first start having anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16		Age 1 to 16	
0	.00		99	NA; not answered	
0	.00		0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)	

CS14V123 "B38C AGE END ANXIETY BEFORE 17"

NUM(2.0)

B38c. Until what age did you have anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16		Age 1 to 16	
0	.00		96	Older than 16	
0	.00		97	I still have it	
0	.00		99	NA; not answered	
0	.00		0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V124 "B38CB38D AGE END ANXIETY 17+"

NUM(3.0)

B38cB38d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); anxiety ended before age 17 or still has anxiety (CS14V123=1-16 or 97); NA age that anxiety ended (CS14V123=9)

CS14V125 "B39 WTR SAW PSYCH FOR ANXIETY"

NUM(1.0)

B39. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)

CS14V126 "B40 AGE 1ST SAW PSYCH FOR ANXIETY"

NUM(2.0)

B40. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); did not see a psychiatrist or psychologist for anxiety before age 17 (CS14V125=5); NA whether saw a psychiatrist or psychologist for anxiety before age 17 (CS14V125=9)

CS14V127 "B41 AGE LAST SAW PSYCH FOR ANXIETY" NUM(2.0)

B41. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your anxiety? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9); did not see a psychiatrist or psychologist for anxiety before age 17 (CS14V125=5); NA whether saw a psychiatrist or psychologist for anxiety before age 17 (CS14V125=9)

CS14V128 "B41A WTR GIVEN MEDS FOR ANXIETY" NUM(1.0)

B41a. Before age 17 were you prescribed medication for your anxiety?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have anxiety before age 17 (CS14V121=5); NA whether had anxiety before age 17 (CS14V121=9)

CS14V129 "B42 WTR CHILDHOOD PANIC ATTACK" NUM(1.0)

B42. Before you were 17 years old, did you have panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes

2014: Childhood Retrospective Circumstances Study File

0 .00 5 No
 0 .00 9 NA; not answered

CS14V130 "B42B AGE PANIC ATTACK START" NUM(2.0)

B42b. At what age did you first start having panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age	1 to 16	
0	.00	99	NA;		not answered
0	.00	0	Inap.:		did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)

CS14V131 "B42C AGE END PANIC ATTACK BEFORE 17" NUM(2.0)

B42c. Until what age did you have panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age	1 to 16	
0	.00	96	Older		than 16
0	.00	97	I still		have it
0	.00	99	NA;		not answered
0	.00	0	Inap.:		did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)

CS14V132 "B42CB42D AGE END PANIC ATTACK 17+" NUM(3.0)

B42cB42d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	17 - 120	Actual		age
-	-	999	NA;		not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); panic attacks ended before age 17 or still has panic attacks (CS14V131=1-16 or 97); NA age that panic attacks ended (CS14V131=9)

CS14V133 "B43 WTR SAW PSYCH FOR PANIC ATTACK" NUM(1.0)

B43. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)		

CS14V134 "B44 AGE 1ST SAW PSYCH FOR PANIC ATTACK" NUM(2.0)

B44. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); did not see a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=5); NA whether saw a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V135 "B45 AGE LAST SAW PSYCH FOR PANIC ATTACK" NUM(2.0)

B45. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your panic attacks? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9); did not see a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=5); NA whether saw a psychiatrist or psychologist for panic attacks before age 17 (CS14V133=9)

CS14V136 "B45A WTR GIVEN MEDS FOR PANIC ATTACK" NUM(1.0)

B45a. Before age 17 were you prescribed medication for your panic attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have panic attacks before age 17 (CS14V129=5); NA whether had panic attacks before age 17 (CS14V129=9)

CS14V137 "B46 WTR CHILDHOOD ADD" NUM(1.0)

B46. Before you were 17 years old, did you have attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V138 "B46B AGE ADD START"

NUM(2.0)

B46b. At what age did you first start having attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)

CS14V139 "B46C AGE END ADD BEFORE 17"

NUM(2.0)

B46c. Until what age did you have attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)

CS14V140 "B46CB46D AGE END ADD 17+"

NUM(3.0)

B46cB46d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); attention deficit disorder ended before age 17 or still has attention deficit disorder (CS14V139=1-16 or 97); NA age that attention deficit disorder ended (CS14V139=9)

CS14V141 "B47 WTR SAW PSYCH FOR ADD" NUM(1.0)

B47. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)	

CS14V142 "B48 AGE 1ST SAW PSYCH FOR ADD" NUM(2.0)

B48. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.:	did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); did not see a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=5); NA whether saw a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=9)	

2014: Childhood Retrospective Circumstances Study File

CS14V143 "B49 AGE LAST SAW PSYCH FOR ADD"

NUM(2.0)

B49. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your attention deficit disorder? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9); did not see a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=5); NA whether saw a psychiatrist or psychologist for attention deficit disorder before age 17 (CS14V141=9)

CS14V144 "B49A WTR GIVEN MEDS FOR ADD"

NUM(1.0)

B49a. Before age 17 were you prescribed medication for your attention deficit disorder?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have attention deficit disorder before age 17 (CS14V137=5); NA whether had attention deficit disorder before age 17 (CS14V137=9)

CS14V145 "B50 WTR OTR CHILDHOOD PSYCH PROB"

NUM(1.0)

B50. Before you were 17 years old, did you have any other emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered

CS14V146 "B50B AGE OTR PSYCH PROB START" NUM(2.0)

B50b. At what age did you first start having emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)

CS14V147 "B50C AGE END OTR PSYCH PROB BEFORE 17" NUM(2.0)

B50c. Until what age did you have emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	96	Older than 16
0	.00	97	I still have it
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)

CS14V148 "B50CB50D AGE END OTR PSYCH PROB 17+" NUM(3.0)

B50cB50d. (Until what age did you have it?) Please enter an age 17 or older.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	17 - 120	Actual age
-	-	999	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); other emotional or psychological problems ended before age 17 or still has other emotional or psychological problems (CS14V147=1-16 or 97); NA age that other emotional or psychological problems ended (CS14V147=9)

CS14V149 "B51 WTR SAW PSYCH FOR OTR PSYCH PROB" NUM(1.0)

B51. Before you were 17 years old, did you ever see a psychiatrist or psychologist for help with your emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)		

CS14V150 "B52 AGE 1ST SAW PSYCH OTR PSYCH PROB" NUM(2.0)

B52. How old were you the first time before age 17 that you saw a psychiatrist or psychologist for help with your emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1 - 16	Age 1 to 16		
0	.00	99	NA; not answered		
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); did not see a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=5); NA whether saw a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V151 "B53 AGE LAST SAW PSYCH OTR PSYCH PROB" NUM(2.0)

B53. How old were you the last time before age 17 that you saw a psychiatrist or psychologist for help with your emotional or psychological problems? If you don't know the exact age, please give us your best guess.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9); did not see a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=5); NA whether saw a psychiatrist or psychologist for other emotional or psychological problems before age 17 (CS14V149=9)

CS14V152 "B53A WTR GIVEN MEDS FOR OTR PSYCH PROB" NUM(1.0)

B53a. Before age 17 were you prescribed medication for your emotional or psychological problems?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: did not have other emotional or psychological problems before age 17 (CS14V145=5); NA whether had other emotional or psychological problems before age 17 (CS14V145=9)

CS14V218 "G1 WTR CRIME VICTIM BEFORE AGE 17" NUM(1.0)

G1. Before you were age 17, were you ever the victim of a crime?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes

2014: Childhood Retrospective Circumstances Study File

0 .00 5 No
 0 .00 9 NA; not answered

CS14V219 "G2 # TIMES CRIME VICTIM BEFORE AGE 17" NUM(2.0)

G2. How many times were you a victim of a crime before age 17?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 97	Number of times crime victim
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V220 "G3 AGE 1ST TIME CRIME VICTIM" NUM(2.0)

G3. How old were you (the first time)?

IF MORE THAN 16, THEN ASK: Please enter an age less than or equal to 16.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V221 "G4 1ST CRIME COMMITTED AGAINST R" NUM(2.0)

G4. What was the crime that was committed against you (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, attempted manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)

2014: Childhood Retrospective Circumstances Study File

0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9)

CS14V222 "G5 AGE LAST TIME CRIME VICTIM" NUM(2.0)

G5. How old were you the last time you were a victim of crime?

IF MORE THAN 16, THEN ASK: Please enter an age less than or equal to 16.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 16	Age 1 to 16
0	.00	99	NA; not answered
0	.00	0	Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9); crime victim one time before age 17 (CS14V219=1); NA number of times victim of crime before age 17 (CS14V219=9)

CS14V223 "G6 LAST CRIME COMMITTED AGAINST R" NUM(2.0)

G6. What was the crime that was committed against you the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, attempted manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	10	Other felony

2014: Childhood Retrospective Circumstances Study File

0 .00 11 Other misdemeanor
 0 .00 99 NA; not answered
 0 .00 0 Inap.: not a crime victim before age 17 (CS14V218=5); NA whether a crime victim before age 17 (CS14V218=9); crime victim one time before age 17 (CS14V219=1); NA number of times victim of crime before age 17 (CS14V219=9)

CS14V224 "G7 WTR ARRESTED BEFORE AGE 26" NUM(1.0)

G7. Before you were age 26, were you ever arrested or taken into custody by the police?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered

CS14V225 "G8 # TIMES ARRESTED BEFORE AGE 26" NUM(2.0)

G8. How many times were you arrested before you were 26?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 65	Number of times arrested
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V226 "G9 AGE 1ST ARRESTED" NUM(2.0)

G9. How old were you (when/the first time) this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25

2014: Childhood Retrospective Circumstances Study File

0 .00 99 NA; not answered
 0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V227 "G10 CRIME CHARGED WITH 1ST TIME" NUM(2.0)

G10. What were you charged with (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

2014: Childhood Retrospective Circumstances Study File

CS14V228 "G11 AGE LAST ARRESTED"

NUM(2.0)

G11. How old were you the last time this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); arrested one time before age 26 (CS14V225=1); NA how many times arrested before age 26 (CS14V225=9)

CS14V229 "G12 CRIME CHARGED WITH LAST TIME"

NUM(2.0)

G12. What were you charged with the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); arrested one time before age 26 (CS14V225=1); NA how many times arrested before age 26 (CS14V225=9)

CS14V230 "G13 WTR CONVICTED BEFORE AGE 26" NUM(1.0)

G13. Before you were age 26, were you ever convicted of a crime, including in juvenile court? Include a guilty plea as a conviction.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V231 "G14 # TIMES CONVICTED BEFORE AGE 26" NUM(2.0)

G14. How many times did this happen?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 26	Number of times convicted
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)

2014: Childhood Retrospective Circumstances Study File

CS14V232 "G15 AGE 1ST CONVICTED"

NUM(2.0)

G15. How old were you (when/the first time) you were convicted, or found delinquent?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)

CS14V233 "G16 CRIME CONVICTED OF 1ST TIME"

NUM(2.0)

G16. What were you convicted of doing, or for what were you found delinquent (the first time)? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age
0	.00	9	Possessing or selling illegal firearm
0	.00	10	Other felony
0	.00	11	Other misdemeanor
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9)

CS14V234 "G17 AGE LAST CONVICTED" NUM(2.0)

G17. How old were you the last time this happened?

IF MORE THAN 25, THEN ASK: Please enter an age less than or equal to 25.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 25	Age 1 to 25
0	.00	99	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9); convicted of a crime one time before age 26 (CS14V231=5); NA how many times convicted of a crime before age 26 (CS14V231=9)

CS14V235 "G18 CRIME CONVICTED OF LAST TIME" NUM(2.0)

G18. What were you convicted of doing, or for what were you found delinquent the last time? If there were multiple offenses, what was the main or most serious offense?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Assault (battery, rape, aggravated assault, manslaughter)
0	.00	2	Robbery (taking something using a weapon or physical force)
0	.00	3	Theft (taking something without force, such as burglary, larceny, shoplifting)
0	.00	4	Receiving, possessing, or selling stolen property
0	.00	5	Destroying property (vandalism, arson, malicious destruction) or another property offense (trespassing, breaking & entering)
0	.00	6	Possessing, selling or using illegal drugs
0	.00	7	Major traffic offense (driving while intoxicated, driving under the influence, driving while impaired, reckless driving, driving without a license)
0	.00	8	Drinking or purchasing alcohol while under age

2014: Childhood Retrospective Circumstances Study File

0	.00	9 Possessing or selling illegal firearm
0	.00	10 Other felony
0	.00	11 Other misdemeanor
0	.00	99 NA; not answered
0	.00	0 Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9); not convicted of a crime before age 26 (CS14V230=5); NA whether convicted of a crime before age 26 (CS14V230=9); convicted of a crime one time before age 26 (CS14V231=5); NA how many times convicted of a crime before age 26 (CS14V231=9)

CS14V236 "G19 WTR ON PROBATION BEFORE AGE 26" NUM(1.0)

G19. Before you were age 26, were you ever sentenced to probation?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: never arrested or in police custody before age 26 (CS14V224=5); NA whether arrested or in police custody before age 26 (CS14V224=9)

CS14V237 "G20 WTR ARRESTED SINCE AGE 26" NUM(1.0)

G20. Have you been arrested since you turned age 26?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	7	I am not 26 yet
0	.00	9	NA; not answered

2014: Childhood Retrospective Circumstances Study File

CS14V238 "G21 # TIMES ARRESTED SINCE AGE 26" NUM(2.0)

G21. How many times have you been arrested since you were 26?

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 40	Number of times arrested
0	.00	99	NA; not answered
0	.00	0	Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9)

CS14V239 "G22 WTR SENTENCED TO JAIL" NUM(1.0)

G22. Were you ever sentenced to jail or prison?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9)

CS14V240 "G23 TIME SERVED IN JAIL" NUM(2.0)

G23. Altogether, how long did you serve in jail or prison? (Amount of time)

IF LESS THAN 1 OR MORE THAN 97, THEN ASK: Please enter a number from 1 to 97.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1 - 97	Actual amount
0	.00	99	NA; not answered

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9); never sentenced to jail or prison (CS14V239=5); NA whether sentenced to jail or prison (CS14V239=9)

CS14V241 "G23PER JAIL TIME UNIT" NUM(1.0)
 G23Per. Altogether, how long did you serve in jail or prison? (Unit of time)

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	2	Days
0	.00	3	Weeks
0	.00	5	Months
0	.00	6	Years
0	.00	9	NA; not answered
0	.00	0	Inap: younger than 26 or not arrested since age 26 (CS14V237=5 or 7); NA whether arrested since age 26 (CS14V237=9); never sentenced to jail or prison (CS14V239=5); NA whether sentenced to jail or prison (CS14V239=9)

CS14V242 "H1A WTR MOM HAD TRBL KEEPING JOB" NUM(1.0)
 H1a. Before you were age 17, did (your mother/your stepmother/the woman who raised you): Ever have trouble holding a job?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

2014: Childhood Retrospective Circumstances Study File

CS14V243 "H3A WTR MOM OFTEN FOUGHT"

NUM(1.0)

H3a. Before you were age 17, did (your mother/your stepmother/the woman who raised you): Often get into physical fights?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V244 "H6A WTR MOM HAD ANXIETY ATTACK"

NUM(1.0)

H6a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) ever have anxiety attacks where all of a sudden she felt frightened, anxious, or panicky?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V245 "H7A HOW OFTEN MOM HAD ANXIETY ATTACKS"

NUM(1.0)

H7a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	All	
0	.00		2	Most	
0	.00		3	Some	
0	.00		4	A little	
0	.00		9	NA; not answered	

2014: Childhood Retrospective Circumstances Study File

0 .00 0 Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)

CS14V246 "H8A WTR MOM GOT HELP FOR ANXIETY" NUM(1.0)
H8a. Did she ever get professional treatment for her anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)		

CS14V247 "H9A WTR MOM IN HOSP FOR ANXIETY" NUM(1.0)
H9a. Was she ever hospitalized for her anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V248 "H10A WTR ANXIETY INTERFERE W/ MOM LIFE" NUM(1.0)

H10a. Did her anxiety attacks interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R never had an anxiety attack before R was 17 (CS14V244=5); NA whether woman who raised R had an anxiety attack before R was 17 (CS14V244=9)	

CS14V249 "H11A WTR MOM DEPRESSED" NUM(1.0)

H11a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) ever have periods lasting 2 weeks or more where she was sad or depressed most of the time?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Yes	
0	.00		5	No	
0	.00		9	NA; not answered	
0	.00		0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)	

CS14V250 "H12A HOW OFTEN MOM DEPRESSED" NUM(1.0)

H12a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	All	
0	.00		2	Most	
0	.00		3	Some	

2014: Childhood Retrospective Circumstances Study File

0	.00	4	A little
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V251 "H13A WTR MOM HAD OTR DEPRESS SYMPTOMS" NUM(1.0)

H13a. During the time her depression was at its worst, did she also have other symptoms like low energy, changes in sleep or appetite, and problems with concentration?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V252 "H14A WTR MOM GOT HELP FOR DEPRESSION" NUM(1.0)

H14a. Did she ever get professional treatment for her depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

2014: Childhood Retrospective Circumstances Study File

CS14V253 "H15A WTR MOM IN HOSP FOR DEPRESSION" NUM(1.0)

H15a. Was she ever hospitalized for her depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V254 "H16A WTR DEPRESS INTERFERE W/ MOM LIFE" NUM(1.0)

H16a. Did her depression ever interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V249=5); NA whether woman who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V249=9)

CS14V255 "H17A WTR MOM HAD DRUG/AL PROB" NUM(1.0)

H17a. Before you were age 17, did (your mother/your stepmother/the woman who raised you) have a problem with alcohol or drugs?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes

2014: Childhood Retrospective Circumstances Study File

0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V256 "H18A HOW OFTEN MOM HAD DRUG/AL PROB" NUM(1.0)

H18a. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	All
0	.00	2	Most
0	.00	3	Some
0	.00	4	A little
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V257 "H19A WTR MOM GOT HELP FOR DRUG/AL PROB" NUM(1.0)

H19a. Did she ever get professional treatment for her alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

2014: Childhood Retrospective Circumstances Study File

CS14V258 "H20A WTR MOM IN HOSP FOR DRUG/AL PROB" NUM(1.0)

H20a. Was she ever hospitalized for her alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V259 "H21A WTR DRUG/AL PROB INTERFERE W/ MOM" NUM(1.0)

H21a. Did her alcohol or drug problem ever interfere a lot with her life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9); woman who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V257=5); NA whether woman who raised R had a problem with alcohol or drugs before R age 17 (CS14V257=9)

CS14V260 "H1B WTR DAD HAD TRBL KEEPING JOB" NUM(1.0)

H1b. Before you were age 17, did (your father/your stepfather/the man who raised you): Ever have trouble holding a job?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V261 "H3B WTR DAD OFTEN FOUGHT" NUM(1.0)

H3b. Before you were age 17, did (your father/your stepfather/the man who raised you): Often get into physical fights?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)		

CS14V262 "H6B WTR DAD HAD ANXIETY ATTACKS" NUM(1.0)

H6b. Before you were age 17, did (your father/your stepfather/the man who raised you) ever have anxiety attacks where all of a sudden he felt frightened, anxious, or panicky?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)		

CS14V263 "H7B HOW OFTEN DAD HAD ANXIETY ATTACKS" NUM(1.0)

H7b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		

2014: Childhood Retrospective Circumstances Study File

0	.00	3	Some
0	.00	4	A little
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

CS14V264 "H8B WTR DAD GOT HELP FOR ANXIETY" NUM(1.0)
H8b. Did he ever get professional treatment for his anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

CS14V265 "H9B WTR DAD IN HOSP FOR ANXIETY" NUM(1.0)
H9b. Was he ever hospitalized for his anxiety attacks?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)

2014: Childhood Retrospective Circumstances Study File

CS14V266 "H10B WTR ANXIETY INTERFERE W/ DAD LIFE" NUM(1.0)
H10b. Did his anxiety attacks interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R never had an anxiety attack before R was 17 (CS14V262=5); NA whether man who raised R had an anxiety attack before R was 17 (CS14V262=9)	

CS14V267 "H11B WTR DAD DEPRESSED" NUM(1.0)
H11b. Before you were age 17, did (your father/your stepfather/the man who raised you) ever have periods lasting 2 weeks or more where he was sad or depressed most of the time?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.:	not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)	

CS14V268 "H12B HOW OFTEN DAD DEPRESSED" NUM(1.0)
H12b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		
0	.00	3	Some		

2014: Childhood Retrospective Circumstances Study File

0 .00 4 A little
 0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

CS14V269 "H13B WTR DAD HAD OTR DEPRESS SYMPTOMS" NUM(1.0)

H13b. During the time his depression was at its worst, did he also have other symptoms like low energy, changes in sleep or appetite, and problems with concentration?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

CS14V270 "H14B WTR DAD GOT HELP FOR DEPRESSION" NUM(1.0)

H14b. Did he ever get professional treatment for his depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

2014: Childhood Retrospective Circumstances Study File

CS14V271 "H15B WTR DAD IN HOSP FOR DEPRESSION" NUM(1.0)

H15b. Was he ever hospitalized for his depression?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

CS14V272 "H16B WTR DEPRESS INTERFERE W/ DAD LIFE" NUM(1.0)

H16b. Did his depression ever interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R was not sad or depressed for 2 weeks or more before R age 17 (CS14V267=5); NA whether man who raised R was sad or depressed for 2 weeks or more before R age 17 (CS14V267=9)

CS14V273 "H17B WTR DAD HAD DRUG/AL PROB" NUM(1.0)

H17b. Before you were age 17, did (your father/your stepfather/the man who raised you) have a problem with alcohol or drugs?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No

2014: Childhood Retrospective Circumstances Study File

0 .00 9 NA; not answered
 0 .00 0 Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V274 "H18B HOW OFTEN DAD HAD DRUG/AL PROB" NUM(1.0)

H18b. Was this during all, most, some, or only a little of your childhood, before you were age 17?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	All		
0	.00	2	Most		
0	.00	3	Some		
0	.00	4	A little		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)		

CS14V275 "H19B WTR DAD GOT HELP FOR DRUG/AL PROB" NUM(1.0)

H19b. Did he ever get professional treatment for his alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Yes		
0	.00	5	No		
0	.00	9	NA; not answered		
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)		

2014: Childhood Retrospective Circumstances Study File

CS14V276 "H20B WTR DAD IN HOSP FOR DRUG/AL PROB" NUM(1.0)

H20b. Was he ever hospitalized for his alcohol or drug problem?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)

CS14V277 "H21B WTR DRUG/AL PROB INTERFERE W/ DAD" NUM(1.0)

H21b. Did his alcohol or drug problem interfere a lot with his life or activities?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Yes
0	.00	5	No
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9); man who raised R did not have a problem with alcohol or drugs before R age 17 (CS14V273=5); NA whether man who raised R had a problem with alcohol or drugs before R age 17 (CS14V273=9)

CS14V287 "J10A HOW OFTEN MOM PUSHED R" NUM(1.0)

J10a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes

2014: Childhood Retrospective Circumstances Study File

0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V288 "J11A HOW OFTEN MOM THREW THINGS AT R" NUM(1.0)

J11a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V289 "J12A HOW OFTEN MOM SLAPPED R" NUM(1.0)

J12a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

2014: Childhood Retrospective Circumstances Study File

CS14V290 "J13A HOW OFTEN MOM PHYSICALLY HARMED R" NUM(1.0)

J13a. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you): Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a woman (CS14V10=7); NA woman who raised R (CS14V10=9)

CS14V299 "J10B HOW OFTEN DAD PUSHED R" NUM(1.0)

J10b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V300 "J11B HOW OFTEN DAD THREW THINGS AT R" NUM(1.0)

J11b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often

2014: Childhood Retrospective Circumstances Study File

0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V301 "J12B HOW OFTEN DAD SLAPPED R" NUM(1.0)

J12b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

CS14V302 "J13B HOW OFTEN DAD PHYSICALLY HARMED R" NUM(1.0)

J13b. Before you were age 17, how often did (your father/your stepfather/the man who raised you): Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: not raised by a man (CS14V9=7); NA man who raised R (CS14V9=9)

2014: Childhood Retrospective Circumstances Study File

CS14V303 "J14 HOW OFTEN PARENTS PUSHED EACH OTHER" NUM(1.0)

J14. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you) push, grab, or shove EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	7	My parents/guardians were never together
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9)

CS14V304 "J15 PARENTS THREW THINGS AT EACH OTHER" NUM(1.0)

J15. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Throw something at EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)

2014: Childhood Retrospective Circumstances Study File

CS14V305 "J16 PARENTS SLAPPED EACH OTHER"

NUM(1.0)

J16. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Slap or hit EACH OTHER?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)

CS14V306 "J17 PARENTS PHYSICALLY HARM EACH OTHER"

NUM(1.0)

J17. Before you were age 17, how often did (your mother/your stepmother/the woman who raised you) and (your father/your stepfather/the man who raised you): Physically harm EACH OTHER in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code Value/Range Text
0	.00	1	Often
0	.00	2	Sometimes
0	.00	3	Not very often
0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: no man or woman raised R (CS14V9=7 and CS14V10=7); NA man who raised R (CS14V9=9); NA woman who raised R (CS14V10=9); parents/guardians were never together (CS14V303=7)

2014: Childhood Retrospective Circumstances Study File

CS14V307 "J18 HOW OFTEN SIBLINGS PUSHED R" NUM(1.0)

J18. Before you were age 17, how often did your siblings push, grab, or shove you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Often	
0	.00		2	Sometimes	
0	.00		3	Not very often	
0	.00		4	Never	
0	.00		7	I have no siblings	
0	.00		9	NA; not answered	

CS14V308 "J19 SIBLINGS THREW THINGS AT R" NUM(1.0)

J19. Before you were age 17, how often did your siblings: Throw something at you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Often	
0	.00		2	Sometimes	
0	.00		3	Not very often	
0	.00		4	Never	
0	.00		9	NA; not answered	
0	.00		0	Inap.: has no siblings (CS14V307=7)	

CS14V309 "J20 HOW OFTEN SIBLINGS SLAPPED R" NUM(1.0)

J20. Before you were age 17, how often did your siblings: Slap or hit you?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00		1	Often	
0	.00		2	Sometimes	
0	.00		3	Not very often	

2014: Childhood Retrospective Circumstances Study File

0	.00	4	Never
0	.00	9	NA; not answered
0	.00	0	Inap.: has no siblings (CS14V307=7)

CS14V310 "J21 SIBLINGS PHYSICALLY HARMED R" NUM(1.0)

J21. Before you were age 17, how often did your siblings: Physically harm you in any other way?

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file: CRCS14ER_rst. This file is available to qualified users under special contractual arrangements with the PSID. For more information, contact us at PSIDhelp@umich.edu and request CRCS14er_rst restricted file.

Count	%	Value/Range	Code	Value/Range	Text
0	.00	1	Often		
0	.00	2	Sometimes		
0	.00	3	Not very often		
0	.00	4	Never		
0	.00	9	NA; not answered		
0	.00	0	Inap.: has no siblings	(CS14V307=7)	