

**2014: Child Development
Supplement - Child Reports of
Sensitive Information**

Codebook

Number of Variables

76

2014: Child Development Supplement - Child Reports of Sensitive Information

C14REL "CHILD RELEASE NUMBER 14" NUM(1.0)

Release Number for the CDS 2014 Child Data File

Count	%	Value/Range	Code	Value/Range	Text
1,508	100.00		1		Release number 1 - February 2017

C14YRID "2013 PSID FAMILY IW (ID) NUMBER" NUM(5.0)

2013 PSID Main Family Identifier

The values for this variable represent the 2013 interview number of the family in which this individual was included in 2013.

Count	%	Value/Range	Code	Value/Range	Text
1,508	100.00			1 - 9,106	Interview number

C14CPSN "2013 INDIVIDUAL SEQUENCE NUMBER" NUM(2.0)

2013 PSID Sequence Number

This sequence number variable provides a means of identifying an individual's status with regard to the family unit at the time of the PSID main family 2013 interview.

Count	%	Value/Range	Code	Value/Range	Text
1,508	100.00			1 - 20	Sequence number of individuals in the PSID family at the time of the 2013 main family interview

C14J5 "IVR EVER HAD INTERCOURSE 14" NUM(1.0)

J5. The next questions are about your sexual experiences. Have you ever had sexual intercourse--that is, had sex?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
143	9.48		1		Yes
603	39.99		5		No
352	23.34		9		DK; NA; refused
410	27.19		0		Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J6 "IVR WHEN FIRST INTERCOURSE - YEAR 14"

NUM(4.0)

J6. In what year and month did you have sexual intercourse for the first time?--YEAR

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
134	8.89	2,006 - 2,015	Year
9	.60	9,999	DK; NA; refused
1,365	90.52	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9)

C14J7 "IVR WHEN FIRST INTERCOURSE - MONTH 14"

NUM(2.0)

J7. Next, enter the number for the month when you had sexual intercourse for the first time, followed by the pound sign. For example, for January enter 1 and for December enter 12, followed by the pound sign.--MONTH

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
22	1.46	1	January
8	.53	2	February
6	.40	3	March
6	.40	4	April
19	1.26	5	May
18	1.19	6	June
9	.60	7	July
11	.73	8	August
8	.53	9	September
8	.53	10	October
5	.33	11	November
11	.73	12	December
12	.80	99	DK; NA; refused

2014: Child Development Supplement - Child Reports of Sensitive Information

1,365 90.52 0 Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9); DK, NA, or RF year first had sexual intercourse (C14J6=9999)

C14J7B "IVR WHEN FIRST INTERCOURSE - AGE 14" NUM(2.0)
 J7B. About how old were you when you had sexual intercourse for the first time?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
11	.73	9 - 17	Actual age
1	.07	99	DK, NA, or refused
1,496	99.20	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9); DK, NA, or RF year first had sexual intercourse (C14J6=9999); DK, NA, or RF month first had sexual intercourse (C14J7=99)

C14J8 "IVR HAD INTERCOURSE MORE THAN ONCE 14" NUM(1.0)
 J8. Have you had intercourse more than once?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
98	6.50	1	Yes
44	2.92	5	No
1	.07	9	DK; NA; refused
1,365	90.52	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J9 "IVR NUMBER/TIMES INTERCOURSE - 30DAYS 14" NUM(2.0)

J9. About how many times have you had sexual intercourse in the past 30 days? Enter the number of times you had sexual intercourse in the past 30 days, followed by the pound sign. If you have not had sexual intercourse in the past 30 days, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
48	3.18	1 - 30	Actual number of times
48	3.18	99	DK; NA; refused
1,412	93.63	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9); has not had sexual intercourse more than once (C14J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C14J8=8 or 9).

C14J10 "IVR HOW MANY PARTNERS EVER 14" NUM(2.0)

J10. How many partners have you EVER had intercourse with? This includes any person you had intercourse with, even if it was only once, or if you did not know him or her well. Enter the number of partners you've ever had sexual intercourse with, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
97	6.43	1 - 19	Actual number of partners
46	3.05	99	DK; NA; refused
1,365	90.52	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9); has not had sexual intercourse more than once (C14J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C14J8=8 or 9).

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J11 "IVR HOW OFTEN USE CONDOM 14"

NUM(1.0)

J11. Thinking of all the times you have had sexual intercourse, about how often have you and your partner used a condom?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
13	.86	1	None of the time
14	.93	2	Some of the time
9	.60	3	Half of the time
25	1.66	4	Most of the time
35	2.32	5	All of the time
47	3.12	9	DK; NA; refused
1,365	90.52	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not had sexual intercourse (C14J5=5); DK, NA, or RF whether has had sexual intercourse (C14J5=9); has not had sexual intercourse more than once (C14J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C14J8=8 or 9).

C14J12 "IVR EVER TAKE BIRTH CONTROL 14"

NUM(1.0)

J12. Have you ever taken birth control pills regularly for at least one monthly cycle?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
51	3.38	1	Yes
327	21.68	5	No
160	10.61	9	DK; NA; refused
970	64.32	0	Inap.: child is male; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J13A "IVR WHEN START BIRTH CONTROL - YEAR 14" NUM(4.0)

J13A. In what year and month did you start taking birth control pills for the first time? First enter the four-digit year when you started taking birth control pills for the first time, followed by the pound sign.--YEAR

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
51	3.38	2,010 - 2,015	Actual year
-	-	9,999	DK; NA; refused
1,457	96.62	0	Inap.: child is male; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C14J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C14J12=9)

C14J13B "IVR WHEN START BIRTH CONTROL - MONTH 14" NUM(2.0)

J13B. Next, enter the number for the month when you started taking birth control pills for the first time, followed by the pound sign.--MONTH

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
5	.33	1	January
5	.33	2	February
4	.27	3	March
4	.27	4	April
4	.27	5	May
3	.20	6	June
7	.46	7	July
4	.27	8	August
8	.53	9	September
4	.27	10	October
3	.20	11	November
-	-	12	December
-	-	99	DK; NA; refused

2014: Child Development Supplement - Child Reports of Sensitive Information

1,457 96.62 0 Inap.: child is male; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C14J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C14J12=9); DK, NA, or RF year first started taking birth control pills (C14J3A=9999)

C14J13C "IVR WHEN START BIRTH CONTROL - AGE 14" NUM(2.0)

J13C. About how old were you when you had your first started taking birth control pills?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
-	-	9 - 17			Actual age
-	-	99			DK; NA; refused
1,508	100.00	0			Inap.: child is male; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C14J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C14J12=9); year and month first started taking birth control pills reported (C14J13B=1995-2015 and C14J13b=1-12)

C14J14 "IVR EVER SEE DOCTOR RE STD/HIV 14" NUM(1.0)

J14. Have you ever gone to see a doctor or nurse because you thought you might have a sexually transmitted disease or HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
22	1.46	1			Yes
722	47.88	5			No
354	23.47	9			DK; NA; refused
410	27.19	0			Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J14A "IVR SEE DOCTOR FOR WHICH STD/HIV 14" NUM(1.0)

J14A. Did you see a doctor or nurse for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
11	.73	1	Only for a sexually transmitted disease
3	.20	2	Only for HIV
7	.46	3	For both a sexually transmitted disease and HIV
1	.07	9	DK; NA; refused
1,486	98.54	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=9)

C14J15 "IVR EVER BEEN TESTED FOR STD/HIV 14" NUM(1.0)

J15. Have you ever been tested for any sexually transmitted diseases or HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
15	.99	1	Yes
7	.46	5	No
-	-	9	DK; NA; refused
1,486	98.54	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=9)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J15A "IVR TESTED FOR WHICH STD/HIV 14"

NUM(1.0)

J15A. Have you been tested for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
6	.40	1	Only for a sexually transmitted disease
2	.13	2	Only for HIV
7	.46	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused
1,493	99.01	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=9); has not been tested for any sexually transmitted diseases or HIV (C14J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C14J15=9)

C14J16 "IVR EVER TOLD BY DR/NURSE STD/HIV 14"

NUM(1.0)

J16. Have you ever been told by a doctor or nurse that you had a sexually transmitted disease or HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
3	.20	1	Yes
19	1.26	5	No
-	-	9	DK; NA; refused
1,486	98.54	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=9); has not been tested for any sexually transmitted diseases or HIV (C14J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C14J15=9)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J16A "IVR TOLD BY DR/NURSE WHICH STD/HIV 14" NUM(1.0)

J16A. Have you been told by a doctor or nurse that you had a sexually transmitted disease, HIV, or both a sexually transmitted disease and HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
3	.20	1	Only for a sexually transmitted disease
-	-	2	Only for HIV
-	-	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused
1,505	99.80	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C14J14=9); has not been tested for any sexually transmitted diseases or HIV (C14J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C14J15=9); has never been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C14J16=5); DK, NA, or RF whether ever has been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C14J16=9)

C14J17 "IVR EVER BEEN/CAUSED PREGNANCY 14" NUM(1.0)

J17. The next questions are about pregnancy.

(R IS FEMALE: Some teenage girls have been pregnant. Have you ever been pregnant? Be sure to include if you are currently pregnant and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died./R IS MALE: Some teenage boys have partners or girlfriends who get pregnant. Have you ever gotten a girl pregnant? Be sure to include current pregnancy and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	1	Yes
732	48.54	5	No
354	23.47	9	DK; NA; refused

2014: Child Development Supplement - Child Reports of Sensitive Information

410 27.19 0 Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J18 "IVR NUMBER OF PREGNANCIES 14" NUM(1.0)

J18. (Female: How many times have you been pregnant?/Male: How many times have you gotten a girl pregnant?). Enter the number of times you have (been pregnant/gotten a girl pregnant), followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	1 - 7	Number of pregnancies
-	-	9	DK; NA; refused
1,496	99.20	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never been pregnant/gotten a girl pregnant (C14J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C14J17=9)

C14J19 "IVR HOW DID MOST RECENT PREGNANCY END 14" NUM(1.0)

J19. Thinking of the most recent pregnancy, how did the pregnancy end?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
1	.07	1	It has not ended or (you are/the girl is) still pregnant
4	.27	2	It ended in a live birth
-	-	3	It ended in a stillbirth
4	.27	4	It ended in a miscarriage
2	.13	5	It ended in an abortion
1	.07	9	DK; NA; refused
1,496	99.20	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never been pregnant/gotten a girl pregnant (C14J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C14J17=9)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J20 "IVR ANY PREGNANCY COMPLICATIONS 14" NUM(1.0)

J20. (Have there been/Were there) any complications?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
5	.33	5	No
3	.20	9	DK; NA; refused
1,500	99.47	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never been pregnant/gotten a girl pregnant (C14J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C14J17=9); pregnancy ended in a miscarriage (C14J19=4)

C14J21 "IVR CHILD PLACED FOR ADOPTION 14" NUM(1.0)

J21. Was the child placed for legal adoption?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
2	.13	5	No
3	.20	9	DK; NA; refused
1,503	99.67	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never been pregnant/gotten a girl pregnant (C14J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C14J17=9); pregnancy has not ended, ended in a stillbirth, ended in a miscarriage, or ended in an abortion (C14J19=1, 3, 4, or 5)

C14J22 "IVR NUMBER TIMES OUT LATE - 6MONTHS 14" NUM(2.0)

J22. In the last 6 months, about how many times have you stayed out later than your parents said you should? Enter the number of times in the last 6 months you stayed out later than your parents said you should, followed by the pound sign. If you haven't stayed out later than your parents said you should in the past 6 months, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
221	14.66	1 - 97	Actual number of times
360	23.87	99	DK; NA; refused
927	61.47	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J23 "IVR NMBR TIMES HURT SOMEONE - 6MONTHS 14" NUM(2.0)

J23. In the last 6 months, about how many times have you hurt someone badly enough that he or she needed to see a doctor or needed to receive medical care? Enter the number of times (in the last 6 months) you hurt someone badly, followed by the pound sign. (If you haven't hurt someone badly in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
47	3.12	1 - 97	Actual number of times
360	23.87	99	DK; NA; refused
1,101	73.01	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J24 "IVR NMBR TIMES WEAPON/FIGHT - 6MONTHS 14" NUM(2.0)

J24. In the last 6 months, about how many times have you used a weapon in a fight? (Enter the number of times in the last 6 months you used a weapon in a fight, followed by the pound sign.) (If you haven't used a weapon in a fight in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
18	1.19	1 - 97	Actual number of times

2014: Child Development Supplement - Child Reports of Sensitive Information

360 23.87 99 DK; NA; refused
 1,130 74.93 0 Inap.: no times in the last 6 months; child age 8-11;
 child age 12-17 who did not do IVR (C14IVR=5)

C14J25 "IVR NMBR TIMES LIED/PARENTS - 6MONTHS 14" NUM(2.0)

J25. In the last 6 months, about how many times have you lied to your parents about something important? (Enter the number of times in the last 6 months you lied to your parents about something important, followed by the pound sign.) (If you haven't lied to your parents about something important in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
285	18.90	1 - 97	Actual number of times
362	24.01	99	DK; NA; refused
861	57.10	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J26 "IVR NUMBER TIMES SHOPLIFT - 6MONTHS 14" NUM(2.0)

J26. In the last 6 months, about how many times have you taken something from a store without paying for it? (Enter the number of times in the last 6 months you have taken something from a store without paying for it, followed by the pound sign.) (If you haven't taken anything from a store without paying for it in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
54	3.58	1 - 97	Actual number of times
362	24.01	99	DK; NA; refused
1,092	72.41	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J27 "IVR NMBR TIMES OUT AT NIGHT - 6MONTHS 14" NUM(2.0)

J27. In the last 6 months, about how many times have you stayed out at night without permission? (Enter the number of times in the last 6 months you have stayed out at night without permission, followed by the pound sign.) (If you haven't stayed out at night without permission in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
108	7.16	1 - 97	Actual number of times
359	23.81	99	DK; NA; refused
1,041	69.03	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J28 "IVR NMBR TIMES STOP/POLICE - 6MONTHS 14" NUM(2.0)

J28. In the last 6 months, about how many times have you been stopped and questioned by the police? (Enter the number of times in the last 6 months you have been stopped and questioned by the police, followed by the pound sign.) (If you haven't been stopped and questioned by the police in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
74	4.91	1 - 97	Actual number of times
362	24.01	99	DK; NA; refused
1,072	71.09	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J29 "IVR NUMBER TIMES ARRESTED - 6MONTHS 14" NUM(2.0)

J29. In the last 6 months, about how many times have you been arrested by the police? (Enter the number of times in the last 6 months you have been arrested by the police, followed by the pound sign.) (If you haven't been arrested by the police in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
10	.66	1 - 97	Actual number of times

2014: Child Development Supplement - Child Reports of Sensitive Information

361 23.94 99 DK; NA; refused
 1,137 75.40 0 Inap.: no times in the last 6 months; child age 8-11;
 child age 12-17 who did not do IVR (C14IVR=5)

C14J30 "IVR NMBR TIMES WEAPON/SCHOOL - 6MNTHS 14" NUM(2.0)

J30. In the last 6 months, about how many times have you carried a weapon at school? (Enter the number of times in the last 6 months you have carried a weapon at school, followed by the pound sign.) (If you haven't carried a weapon at school in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
24	1.59	1 - 97	Actual number of times
357	23.67	99	DK; NA; refused
1,127	74.73	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J31 "IVR NMBR TIMES ALCL/DRGS/SCHL - 6MNTH 14" NUM(2.0)

J31. In the last 6 months, about how many times have you brought alcohol or drugs to school? (Enter the number of times in the last 6 months you have brought alcohol or drugs to school, followed by the pound sign.) (If you haven't brought alcohol or drugs to school in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
17	1.13	1 - 97	Actual number of times
358	23.74	99	DK; NA; refused
1,133	75.13	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J32 "IVR NMBR TIMES DAMAGE SCHL - 6MONTHS 14" NUM(2.0)

J32. In the last 6 months, about how many times have you damaged school property on purpose? (Enter the number of times in the last 6 months you have damaged school property on purpose, followed by the pound sign.) (If you haven't damaged school property on purpose in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
41	2.72	1 - 97	Actual number of times
358	23.74	99	DK; NA; refused
1,109	73.54	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J33 "IVR NMBR TIMES PARENTS/SCHL - 6MONTHS 14" NUM(2.0)

J33. In the last 6 months, about how many times have your parents had to come to your school because of something you did wrong? (Enter the number of times in the last 6 months your parents had to come to your school because of something you did wrong, followed by the pound sign.) (If your parents haven't had to come to your school because of something you did wrong in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
79	5.24	1 - 97	Actual number of times
361	23.94	99	DK; NA; refused
1,068	70.82	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J34 "IVR NMBR TIMES SKIP SCHOOL - 6MONTHS 14" NUM(2.0)

J34. In the last 6 months, about how many times have you skipped a day of school without permission? (Enter the number of times in the last 6 months you skipped a day of school without permission, followed by the pound sign.) (If you haven't skipped a day of school without permission in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
66	4.38	1 - 97	Actual number of times

2014: Child Development Supplement - Child Reports of Sensitive Information

359 23.81 99 DK; NA; refused
 1,083 71.82 0 Inap.: no times in the last 6 months; child age 8-11;
 child age 12-17 who did not do IVR (C14IVR=5)

C14J35 "IVR EVER TRIED CIGARETTES 14" NUM(1.0)

J35. Some people your age have experimented with cigarette smoking, drinking alcohol and drug use. Have you ever tried cigarette smoking, even just 1 or 2 puffs?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
112	7.43		1	Yes	
626	41.51		5	No	
360	23.87		9	DK; NA; refused	
410	27.19		0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)	

C14J36 "IVR EVER SMOKED CIGARETTES REGULARLY 14" NUM(1.0)

J36. Have you ever smoked cigarettes regularly, that is, at least 1 cigarette everyday for 30 days?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
12	.80		1	Yes	
100	6.63		5	No	
-	-		9	DK; NA; refused	
1,396	92.57		0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not tried cigarette smoking (C14J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C14J35=9)	

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J37 "IVR HOW OLD SMOKE REGULARLY 14"

NUM(2.0)

J37. How old were you when you first started smoking cigarettes regularly (at least 1 cigarette every day for 30 days)? Enter your age when you first started smoking cigarettes regularly, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	8 - 17	Actual age
-	-	99	DK; NA; refused
1,496	99.20	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not tried cigarette smoking (C14J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C14J35=9); has not smoked cigarettes regularly (C14J36=5); DK, NA, or RF whether smoked cigarettes regularly (C14J36=9)

C14J38 "IVR HOW MANY DAYS SMOKE - 30DAYS 14"

NUM(2.0)

J38. During the past 30 days, on how many days did you smoke cigarettes? Enter the number of days you smoked cigarettes in the past 30 days, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
8	.53	1 - 30	Actual number of days
-	-	99	DK; NA; refused
1,500	99.47	0	Inap.: no days in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not tried cigarette smoking (C14J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C14J35=9); has not smoked cigarettes regularly (C14J36=5); DK, NA, or RF whether smoked cigarettes regularly (C14J36=5)

C14J39 "IVR TRIED TO QUIT SMOKING - 6MONTHS 14" NUM(1.0)

J39. During the past 6 months, have you tried to quit smoking cigarettes?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
6	.40	1	Yes
6	.40	5	No
-	-	9	DK; NA; refused
1,496	99.20	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not tried cigarette smoking (C14J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C14J35=9); has not smoked cigarettes regularly (C14J36=5); DK, NA, or RF whether smoked cigarettes regularly (C14J36=9)

C14J40 "IVR HOW MANY FRIENDS SMOKE - 3FRIENDS 14" NUM(1.0)

J40. Of your 3 best friends, how many smoke at least 1 cigarette a day? Enter the number of your (3 best) friends who smoke at least 1 cigarette a day, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
93	6.17	1 - 3	Actual number of friends
364	24.14	9	DK; NA; refused
1,051	69.69	0	Inap.: none; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J41 "IVR EVER TRIED CHEWING TOBACCO 14" NUM(1.0)

J41. Have you ever tried chewing tobacco, such as Redman, Levi Garrett, or Beechnut, snuff, such as Skoal, Skoal Bandits, or Copenhagen, or snus, such as Camel Snus, Marlboro Snus, or Skoal Snus?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
28	1.86	1	Yes

2014: Child Development Supplement - Child Reports of Sensitive Information

708	46.95	5	No
362	24.01	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J42 "IVR HOW MANY DAYS CHEW TOBAC - 30DAYS 14" NUM(2.0)

J42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or snus? Enter the number of days in past 30 days you used chewing tobacco (such as Skoal, Skoal Bandits, or Copenhagen) or snus (such as Camel Snus, Marlboro Snus, or Skoal Snus), followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	1 - 30	Actual number of days
1	.07	99	DK; NA; refused
1,495	99.14	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never tried chewing tobacco, snuff, or snus (C14J41=5); DK, NA, or RF whether ever tried chewing tobacco, snuff, or snus (C14J41=9)

C14J42A "IVR EVER TRIED E-CIGARETTES 14" NUM(1.0)

J42A. Have you ever used electronic cigarettes or e-cigarettes, such as Blu Cigs or Imperial Hookah?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
106	7.03	1	Yes
631	41.84	5	No
361	23.94	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J42B "IVR HOW MANY DAYS E-CIGS- 30DAYS 14" NUM(2.0)

J42B. During the past 30 days, on how many days have you used electronic cigarettes? Enter the number of days in the past 30 days you used electronic cigarettes (such as Blu Cigs or Imperial Hookah), followed by the pound sign. If you have not used electronic cigarettes in the past 30 days, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
28	1.86	1 - 30	Actual number of days
1	.07	99	DK; NA; or refused
1,479	98.08	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has never used electronic cigarettes or e-cigarettes (C14J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C14J42A=9)

C14J43 "IVR EVER HAD ALCOHOL 14" NUM(1.0)

J43. Have you ever had a drink of alcohol, including beer, wine, or liquor - not just a sip or a taste of someone else's drink?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
206	13.66	1	Yes
531	35.21	5	No
361	23.94	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J44 "IVR EVER DRINK ALCOHOL W/O ADULTS 14" NUM(1.0)

J44. Do you ever drink alcohol, including beer, wine or liquor when you are not with your parents or other adults in your family?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
106	7.03	1	Yes

2014: Child Development Supplement - Child Reports of Sensitive Information

97	6.43	5	No
3	.20	9	DK; NA; refused
1,302	86.34	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9)

C14J45 "IVR HOW OLD DRINK ALCOHOL W/O ADULTS 14" NUM(2.0)

J45. Think about the first time that you had an alcoholic drink when you were not with your parents or other adults in your family. How old were you then? Enter your age when you first had an alcoholic drink without your parents or other adults, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
105	6.96	8 - 17	Actual age
1	.07	99	DK; NA; refused
1,402	92.97	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); never drinks alcohol when she/he is not with parents or other adults in family (C14J44=5); DK, NA, or RF whether drinks alcohol when she/he is not with parents or other adults in family (C14J44=9)

C14J46 "IVR HOW OFTEN DRINK ALCHOL - PAST YR 14" NUM(1.0)

J46. During the past year, how often did you drink alcohol?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
2	.13	1	Every day or almost every day
3	.20	2	3 to 5 days a week
13	.86	3	1 or 2 days a week
21	1.39	4	2 or 3 days a month
51	3.38	5	Once a month or less
77	5.11	6	1 or 2 days in the past year
-	-	9	DK; NA; refused

2014: Child Development Supplement - Child Reports of Sensitive Information

1,341 88.93 0 Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9)

C14J47 "IVR HOW MNY DRINKS USU HAVE - PAST YR 14" NUM(2.0)

J47. Think of all the times you have had a drink during the past year. A "drink" is a glass of wine, a can of beer, a bottle of a flavored alcoholic beverage like Smirnoff Ice or Mike's Hard Lemonade, a shot glass of liquor, or a mixed drink. In the past year, how many drinks did you usually have each time you had a drink? Enter the number of drinks you had, each time you had a drink, during the past year, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
164	10.88	1 - 50	Actual number of drinks
1	.07	99	DK; NA; refused
1,343	89.06	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); has not drank alcohol in the past year (C14J46=0); DK, NA, or RF whether drank alcohol in the past year (C14J46=9)

C14J48 "IVR HOW OFTEN GOTTEN DRUNK - PAST YR 14" NUM(1.0)

J48. In the past year, on how many days have you gotten drunk or "very, very high" on alcohol?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
1	.07	1	Every day or almost every day
4	.27	2	3 to 5 days a week
4	.27	3	1 or 2 days a week
8	.53	4	2 or 3 days a month
32	2.12	5	Once a month or less
39	2.59	6	1 or 2 days in the past year
2	.13	9	DK; NA; refused

2014: Child Development Supplement - Child Reports of Sensitive Information

1,418 94.03 0 Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); has not drank alcohol in the past year (C14J46=0); DK, NA, or RF whether drank alcohol in the past year (C14J46=9)

C14J49 "IVR HOW OFTEN 5+ DRINKS - PAST YR 14" NUM(1.0)

J49. In the past year, on how many days did you drink five or more drinks in a row?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
1	.07	1	Every day or almost every day
2	.13	2	3 to 5 days a week
2	.13	3	1 or 2 days a week
8	.53	4	2 or 3 days a month
19	1.26	5	Once a month or less
23	1.53	6	1 or 2 days in the past year
2	.13	9	DK; NA; refused
1,451	96.22	0	Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); has not drank alcohol in the past year (C14J46=0); DK, NA, or RF whether drank alcohol in the past year (C14J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C14J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C14J48=9)

C14J50 "IVR HOW OFTEN 5+ DRINKS - 30DAYS 14" NUM(1.0)

J50. In the past 30 days, how often did you drink five or more drinks in a row?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
3	.20	1	Every day or almost every day
2	.13	2	3 to 5 days a week
3	.20	3	1 or 2 days a week
8	.53	4	2 or 3 times

2014: Child Development Supplement - Child Reports of Sensitive Information

22	1.46	5	Once
3	.20	9	DK; NA; refused
1,467	97.28	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); has not drunk alcohol in the past year (C14J46=0); DK, NA, or RF whether drank alcohol in the past year (C14J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C14J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C14J48=9); has not drunk five or more drinks in a row in the past year (C14J49=5); DK, NA, or RF whether drank five or more drinks in a row in the past year (C14J49=9)

C14J51 "IVR WHAT USUALLY DRINK 14" NUM(1.0)
 J51. Which do you drink most often--beer, wine, flavored alcoholic beverages (like Smirnoff Ice or Mike's Hard Lemonade), straight liquor, mixed drinks or whatever is available?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
29	1.92	1	Beer
20	1.33	2	Wine
41	2.72	3	Flavored alcoholic beverages
20	1.33	4	Straight liquor
18	1.19	5	Mixed drinks
36	2.39	6	Whatever is available
3	.20	9	DK; NA; refused
1,341	88.93	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never had a drink of alcohol (C14J43=5); DK, NA, or RF whether ever had a drink of alcohol (C14G43=9); has not drunk alcohol in the past year (C14J46=0); DK, NA, or RF whether drank alcohol in the past year (C14J46=9)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J52 "IVR HOW MANY FRIENDS DRINK - 3FRIENDS 14" NUM(1.0)

J52. Of your 3 best friends, how many drink alcohol at least once a month? Enter the number of your (3 best) friends who drink alcohol at least once a month, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
185	12.27	1 - 3	Actual number of friends
372	24.67	9	DK; NA; refused
951	63.06	0	Inap.: none; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J53 "IVR HOW MNY TIMES DRINK/DRIVE - 6MNTH 14" NUM(2.0)

J53. How many times in the last 6 months did you drive when you were drunk or high on drugs? Enter the number of times in the last 6 months you drove when you were drunk or high on drugs, followed by the pound sign. If you didn't drive when you were drunk or high on drugs in the past 6 months, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	1 - 97	Actual number of times
371	24.60	99	DK; NA; refused
1,125	74.60	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J54 "IVR HOW MNY TIMES RIDE/DRINK - 6MNTHS 14" NUM(2.0)

J54. How many times in the last 6 months did you ride with a driver who had too much to drink or was high on drugs? Enter the number of times in the last 6 months you rode with a driver who was drunk or high on drugs, followed by the pound sign. If in the past 6 months you didn't ride with a driver who was drunk or high on drugs, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
59	3.91	1 - 97	Actual number of times

2014: Child Development Supplement - Child Reports of Sensitive Information

377 25.00 99 DK; NA; refused
 1,072 71.09 0 Inap.: no times in the last 6 months; child age 8-11;
 child age 12-17 who did not do IVR (C14IVR=5)

C14J55 "IVR ALCOHOL AVAILABLE AT HOME 14" NUM(1.0)

J55. Is alcohol easily available to you in your home?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
156	10.34	1	Yes		
572	37.93	5	No		
370	24.54	9	DK; NA; refused		
410	27.19	0	Inap.:	child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)	

C14J56 "IVR EVER TRIED MARIJUANA 14" NUM(1.0)

J56. Have you ever tried marijuana?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
104	6.90	1	Yes		
626	41.51	5	No		
368	24.40	9	DK; NA; refused		
410	27.19	0	Inap.:	child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)	

C14J57 "IVR HOW OLD TRIED MARIJUANA 14" NUM(2.0)

J57. How old were you when you tried marijuana for the first time?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code	Value/Range	Text
100	6.63	8 - 17	Actual age		
4	.27	99	DK; NA; refused		

2014: Child Development Supplement - Child Reports of Sensitive Information

1,404 93.10 0 Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never tried marijuana (C14J56=5); DK, NA, or RF whether ever tried marijuana (C14J56=9)

C14J58 "IVR HOW MNY TIMES MARIJUANA - PAST YR 14" NUM(3.0)

J58. Over the past year, how many times did you use marijuana?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
80	5.31	1 - 365	Actual number of times
2	.13	999	DK; NA; refused
1,426	94.56	0	Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never tried marijuana (C14J56=5); DK, NA, or RF whether ever tried marijuana (C14J56=9)

C14J59 "IVR HOW MANY TIMES MARIJUANA - 30DAYS 14" NUM(2.0)

J59. During the past 30 days, how many times did you use marijuana? Enter the number of times in the past year that you used marijuana, followed by the pound sign. If you didn't use marijuana in the past year, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
43	2.85	1 - 30	Actual number of times
2	.13	99	DK; NA; refused
1,463	97.02	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); never tried marijuana (C14J56=5); DK, NA, or RF whether ever tried marijuana (C14J56=9); did not use marijuana in the past year (C14J58=0); DK, NA, or RF whether used marijuana in the past year (C14J58=9)

C14J60 "IVR EVER USED INHALANTS 14" NUM(1.0)

J60. Have you ever used inhalants? Inhalants include glues, aerosols, and solvents.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
12	.80	1	Yes
717	47.55	5	No
369	24.47	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J60A "IVR HOW MNY TIMES INHALANTS - PAST YR 14" NUM(2.0)

J60A. In the past year, how many times have you used inhalants? Enter the number of times in the past year that you used inhalants (such as glue, aerosols, or solvents), followed by the pound sign. If you didn't use inhalants, (such as glue, aerosols, or solvents) in the past year, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
4	.27	1 - 96	Actual number of times
-	-	97	97 times or more
-	-	99	DK; NA; refused
1,504	99.73	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not used inhalants (C14J60=5); DK, NA, or RF whether ever used inhalants (C14J60=5)

C14J61 "IVR EVER USED HALLUCINOGENS 14" NUM(1.0)

J61. Have you ever used hallucinogens? Hallucinogens include LSD, mescaline, peyote, and shrooms.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
6	.40	1	Yes

2014: Child Development Supplement - Child Reports of Sensitive Information

724	48.01	5	No
368	24.40	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J61A "IVR HOW MNY TIMES HALLUCNGNS - PST YR 14" NUM(2.0)

J61A. In the past year, how many times did you use hallucinogens? Enter the number of times in the past year that you used hallucinogens (such as LSD, mescaline, peyote, or shrooms), followed by the pound sign. If you didn't used hallucinogens (such as LSD, mescaline, peyote, or shrooms) in the past year, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
4	.27	1 - 96	Actual number of times
-	-	97	97 times or more
-	-	99	DK; NA; refused
1,504	99.73	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not used hallucinogens (C14J61=5); DK, NA, or RF whether ever used hallucinogens (C14J61=9)

C14J62 "IVR EVER USED PRESCRIP DRUGS 14" NUM(1.0)

J62. Have you ever taken prescription drugs without a doctor telling you to take them?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
34	2.25	1	Yes
680	45.09	5	No
384	25.46	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J62A "IVR HOW MNY TIMES PRSCRIP DRG - PST YR 14" NUM(2.0)

J62A. In the past year, how many times did you take prescription drugs without a doctor telling you to take them?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
22	1.46	1 - 96	Actual number of times
-	-	97	97 times or more
1	.07	99	NA; DK; refused
1,485	98.47	0	Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not taken prescription drugs without a doctor telling her/him to take them (C14J62=5); DK, NA, or RF whether ever taken prescription drugs without a doctor telling her/him to take them (C14J62=9)

C14J63 "IVR EVER USED AMPHETAMINES 14" NUM(1.0)

J63. Have you ever used amphetamines without a doctor telling you to take them? Amphetamines include Ritalin, Adderall, and Concerta.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
9	.60	1	Yes
719	47.68	5	No
370	24.54	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

2014: Child Development Supplement - Child Reports of Sensitive Information

C14J63A "IVR HOW MNY TIMES AMPHETAMNE - PST YR 14" NUM(2.0)

J63A. In the past year, how many times did you use amphetamines without a doctor telling you to take them? Enter the number of times (in the past year that you used amphetamines such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), followed by the pound sign. In the past year, if you didn't use amphetatimes (such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
5	.33	1 - 96	Actual number of times
-	-	97	97 times ore more
-	-	99	DK; NA; refused
1,503	99.67	0	Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not used amphetamines without a doctor telling her/him to take them (C14J63=5); DK, NA, or RF whether ever used amphetamines without a doctor telling her/him to take them (C14J63=9)

C14J64 "IVR EVER USED TRANQUILIZERS 14" NUM(1.0)

J64. Have you ever used tranquilizers without a doctor telling you to take them? Tranquilizers include Valium, Xanax, and Klonopin.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
5	.33	1	Yes
722	47.88	5	No
371	24.60	9	DK; NA; refused
410	27.19	0	Inap.: child age 8-11; child age 12-17 who did not do IVR (C14IVR=5)

C14J64A "IVR HOW MNY TIMES TRANQUILZR - PST YR 14" NUM(2.0)

J64A. In the past year, how many times did you use tranquilizers without a doctor telling you to take them?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. The data are available in a separate file to qualified users under special contractual arrangements with the PSID; for more information, contact us at PSIDhelp@umich.edu.

Count	%	Value/Range	Code Value/Range Text
3	.20	1 - 96	Actual number of times
-	-	97	97 times or more
-	-	99	DK; NA; refused
1,505	99.80	0	Inap.: no times in the past year; child age 8-11; child age 12-17 who did not do IVR (C14IVR=5); has not used tranquilizers without a doctor telling her/him to take them (C14J64=5); DK, NA, or RF whether ever used tranquilizers without a doctor telling her/himn to take them (C14J64=9)